UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/522,355	01/26/2005	Uwe Lasebnick	17102/013001	1412
22511 OSHA LIANG	7590 03/27/200 L.L.P.	EXAMINER		
1221 MCKINN		FOX, JOHN C		
SUITE 2800 HOUSTON, TX	X 77010		ART UNIT	PAPER NUMBER
			3753	
			NOTIFICATION DATE	DELIVERY MODE
			03/27/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docketing@oshaliang.com buta@oshaliang.com

	Application No.	Applicant(s)				
	10/522,355	LASEBNICK ET AL.				
Office Action Summary	Examiner	Art Unit				
	John Fox	3753				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	L. nely filed the mailing date of this communication. (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 20 Fe	ebruarv 2008.					
	action is non-final.					
<i>,</i> —	· —					
closed in accordance with the practice under E						
Disposition of Claims						
- 4)⊠ Claim(s) <u>1,4,6,7,11,12,14,16,25-28 and 30-32</u> is/are pending in the application.						
• • • • • • • • • • • • • • • • • • • •	4a) Of the above claim(s) <u>16 and 32</u> is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,4,6,7,11,12,14,25-28,30 and 31</u> is/are rejected.						
7) Claim(s) is/are objected to.	•					
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	•					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
<u> </u>	priority under 25 LLS C & 110(a)	(d) or (f)				
a) ☐ All b) ☐ Some * c) ☐ None of:	12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
·— ·—	a) ☐ All b) ☐ Some c) ☐ None or: 1. ☐ Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents		on No				
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
dee the attached detailed Office action for a list of	or the certified copies not receive	u.				
Attachment(s)	.	(DTO 440)				
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) ∐ Interview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO/SB/08)	5) 🔲 Notice of Informal P					
Paper No(s)/Mail Date 6) Other:						

This Action is responsive to the communication filed February 20, 2008.

Claim 16 is withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on May 26, 2006.

Claim 32 is withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on May 26, 2006.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1, 4, 6-7, 11, 25-28, 30 are rejected under 35 U.S.C. 102(b) as being anticipated by Kilayko.

It is believed that the pertinence of the reference is readily apparent. The recitation "for feeding a cleaning fluid to at least one nozzle opening of a nozzle" and further recitations of "cleaning" relate to intended use and are given no weight. Kilayko shows a valve in Figures 1-3 with inlet 12 and outlets 14 and 22, ball 24 controls flow to the outlets and shuts off flow to outlet 22, which corresponds to the recited first path. Ball 24 is read as a slide element in the same manner as ball valves have in past actions.

Applicant's arguments have been fully considered but they are not persuasive.

The elected species of Figure 4 does not show a piston valve but a valve similar to the ball of Figure 3. Page 2, lines 26-32, of the specification broadly defines a sliding

element as one displaced "in an axial direction between the valve positions". Ball 24 fairly responds to that definition.

Claims 1, 12, 14, and 31 are rejected under 35 U.S.C. 102(b) as being anticipated by Blank.

It is believed that the pertinence of the reference is readily apparent. The second valve position is shown in Figure 2 by dashed lines. The recitation "for feeding a cleaning fluid to at least one nozzle opening of a nozzle" and further recitations of "cleaning" relate to intended use and are given no weight.

Applicant's arguments have been fully considered but they are not persuasive. As in Kalayko the ball valve of Blank fairly responds to the recitation "slide element". The omission of claim 2 under Blank in the previous action is not determinative of the patentability of the claim as the Office has a policy of avoiding merely cumulative rejections.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Fox whose telephone number is 571-272-4912. The examiner can normally be reached on Monday-Saturday from 10am-6pm (Hoteling Program).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/John Fox/ Primary Examiner Art Unit 3753